




Product Service

# CERTIFICATE

No. U8 08 11 67705 003

**Holder of Certificate:** **GlacialTech Inc.**  
9FL., No. 352, Sec. 2, Jung Shan Road,  
235 Jung He City, Taipei,  
TAIWAN

**Certification Mark:**



**Product:** **Adaptors**  
**( COMBO ADAPTER or ADAPTER )**

The product was voluntarily tested according to the relevant safety requirements and mentioned properties. It can be marked with the certification mark shown above. The certification mark must not be altered in any way. See also notes overleaf.

Test report no.: 081-81011-000

Date, 2008-11-07

Page 1 of 3





Product Service

**CERTIFICATE**  
**No. U8 08 11 67705 003**

**Model(s):** GP-AC100P-0C, GP-AC100P-0T, GP-AC100P-0S

**Brand Name:** GlacialPower

**Parameters:**

Rated input voltage:	100-240 Vac
Rated input current:	1.5 A
Rated frequency:	50/60 Hz
Rated outputs:	See attachment
Rated DC input:	See attachment
Protection class:	I

**Tested according to:** EN 60950-1:2001  
UL 60950-1:2003  
CAN/CSA C22.2 No. 60950-1:2003

**Production Facility(ies):** 67704, 62803

**Main-Certificate no.:** U8 08 10 67706 003



**Attachment to the Certificate No. U8 08 11 67705 003**

The following models of the “COMBO ADAPTER OR ADAPTER”  
 “GP-AC100P-0C, GP-AC100P-0T, GP-AC100P-0S” will be covered  
 by above Certificate:

Model-#	DC input rating	DC output rating
GP-AC100P-0S	N/A	12-24 Vdc/ 5.5A Max. USB 5 Vdc/ 1A Max. Total 100 W Max.
GP-AC100P-0C	11-15 Vdc, 10 A Max	15-24 Vdc/ 5.5A Max. USB 5 Vdc/ 1A Max. Total 100 W Max.
GP-AC100P-0T	11-30 Vdc, 10 A Max	12-24 Vdc/ 5.5A Max. USB 5 Vdc/ 1A Max. Total 100 W Max.