

**Reliability Laboratory** 

### TEST REPORT

Report No.: HC90233/2017 Page: 1 of 7 October 30, 2017 Date:

### GLACIALTECH INC. 6FL., NO. 346, SEC.2, JUNG SHAN RD., JUNG HE DIST., NEW TAIPEI CITY, TAIWAN

The following merchandise was submitted and identified by the vendor as:

Product Description:	LED driver
Style/ Item No .:	GP-CVM300P/ No.1, No.2
Manufacturer/ Vendor:	GlacialTech Inc.
Country of Origin:	China
Quantity:	Total 2 pieces
Testing Period:	Oct. 13, 2017 to Oct. 17, 2017
Note:	(Client's declaration) The other styles used the identical enclosure with
	GP-CVM300P and GP-CVM300PXXV-XXX are shown in appendix

We have tested the submitted sample(s) as requested and the following results were obtained: Test Required:

Test for Degrees of Protection Provided by Enclosures (IEC 60529 Edition 2.2: 2013)

IP Code	IP67	
HIRST Characteristic numeral	Degrees of protection against access to hazardous parts and against solid foreign objects	
Second characteristic numeral	Degrees of protection against ingress of water	

Test Results:

	Conclusion
	Submittals sample(s) comply with the requirement and acceptance conditions of IEC
(	60529 Edition 2.2: 2013 Degrees of Protection Provided by Enclosures IP67
1	The detailed description of test result, please see attached sheet(s).

#### Signed for and on behalf of TAIWAN Ltd. SGS

Hank Chiou Supervisor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms - edocument.htm</u>. Attention of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction unawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

No.31, No.33, No.35, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 31 號, 33 號, 35 號 No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2299-9558

t (886-2) 2299-3279



Report No.:	HC	90233/2	2017
Page:	2	of	7

Test for Degrees of Protection Provided by Enclosures:

Name		Brand	Model	Serial No.	
1.0 mm Test Wire Probe		ED&D	TRP-02	B0050180	
Digital Force Gauge		ALGOL	HF-50	HF-106764	
Dust Tester		T-MACHINE	TMJ-9723S	T-23-110708	
IPX7/IPX8 Immersion Tank		Self-made	SGS-ETR-030201	ETR000001	
		F DAD			
Lab Environmental Condi	tions:				
Ambient temperature:	<u>(25 ± 3) °C</u>				
Ambient humidity:	<u>(55 ± 20) %</u>	RH			
Test Method/ Specification	<u>n:</u>				
Test method:	<u>IEC 60529 E</u>	dition 2.2: 2013	<u>IP67</u>		
<b><u>1. Test for protection ag</u></b>	<u>gainst access t</u>	o hazardous part	<u>s:</u>		
Test method:	The test wire with 1.0 mm in diameter and 100 mm long is pushed against				
	or inserted th	rough any opening	gs of the enclosure with d	lesignated force.	
	Examine who	ether the test wire	touches the hazardous liv	e parts inside the	
	enclosure or	not.			
Test force:	<u>1 N±10 %</u>				
2. Test for protection ag	gainst solid fo	<u>reign objects:</u>			
Test method:	Dust test				
Sample condition:	Non-Operati	ng			
Type of dust:	Talcum powe	der			
The amount of dust:	2 kg per cubi	ic meter of the char	mber volume		
	n: <u>&lt; 20 mbar</u>				
The maximum depression					
The maximum depression Test duration:	<u>8 hours</u>				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,可時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms - edocument.htm</u>. Attention of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.31, No.33, No.35, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 31 號, 33 號, 35 號



**Reliability Laboratory** 

**TEST REPORT** 

Report No.:	HC	90233/	2017
Page:	3	of	7

### Test Method/ Specification--Continued:

3. Test for protection against water:					
Sample condition:	Non-Operating				
Test means:	Completely immerse the specimen in water in its service position as				
	specified by client.				
Test condition:	See below items marked "•". The lowest point of enclosures with a height less than 850 mm is				
	Iocated 1000 mm below the surface of the waterThe highest point of enclosures with a height equal to or greater than850 mm is located 150 mm below the surface of the water				
Test duration:	<u>30 minutes</u>				
Test Device:	As shown in photo 4				

• Examine the protection against ingress water of specimen after this test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,可時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms - edocument.htm</u>. Attention of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.31, No.35, No.35, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 31 號, 33 號, 35 號 No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司\_

t (886-2) 2299-3279 f (886-2) 2299-9558



**Reliability Laboratory** 

## TEST REPORT

 Report No.:
 HC90233/2017

 Page:
 4
 of
 7

Specimen:

Style/ Item No.: Quantity: <u>GP-CVM300P/ No.1, No.2</u> Total 2 pieces

#### Test Result:

A. Degrees of protection against access to hazardous parts and against solid foreign objects (IP6X)

A-1 Test for protection against access to hazardous parts (IP6X)

	Style/ Item No.
Check Item	GP-CVM300P/ No.1
1 Does the test wire penetrate any openings of the enclosure?	No
2 (followed check item 1) If the test wire penetrates any openings of the enclosure, does the test wire touch any hazardous live parts or any hazardous mechanical parts?	N/A
(followed check item 2) Does adequate clearance be kept between the test wire and hazardous live parts or hazardous mechanical parts?	N/A

client.

A-2 Test for protection against solid foreign objects (IP6X)

t (886-2) 2299-3279

Test Result		
	Style/ Item No. GP-CVM300P/ No.1	
Check Item		
1 Does any dust deposit inside the enclosure?	No	
Note 1: N/A means "Not Applicable". Note 2: The check items in this test report for inspecting the degree of prote	ection provided by enclosures are reference to	

Note 2: The check items in this test report for inspecting the degree of protection provided by enclosures are reference to the requirements specified in IEC 60529 Edition 2.2: 2013 and in accordance with the acceptance conditions specified by client.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms\_ed-edocument.htm, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document approval of the Company. Any unautorized alteration, forgery or falsification of the content or appearance of this document to the law.

No.31, No.33, No.35, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 31 號, 33 號, 35 號 SGS Taiwan Ltd. No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司\_

f (886-2) 2299-9558



 Report No.:
 HC90233/2017

 Page:
 5
 of
 7

**Reliability Laboratory** 

#### Test Result--Continued:

B. Degree of protection against ingress of water (IPX7)

Test Result			
Style/ Item No.			
GP-CVM300P/ No.2			
No			
N/A			

Note 2:The check items in this test report for inspecting the degree of protection provided by enclosures are reference to the requirements specified in IEC 60529 Edition 2.2: 2013 and in accordance with the acceptance conditions specified by client.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms - edocument.htm</u>. Attention of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document approval of the Company. Any unauthorized alteration, forgery or falsification of the alternated to the fullest extent of the law.

No.31, No.33, No.35, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 31 號, 33 號, 35 號 No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司\_

t (886-2) 2299-3279 f (886-2) 2299-9558



 Report No.:
 HC90233/2017

 Page:
 6
 of
 7

Appendix I (styles declaration by client):

Γ	GP-CVM300PX1X2V-X3X4X5					
	$(X_1X_2=12, 24, 36, 48)$ $(X_3X_4X_5$ Can be character or number or blank)					
9	Model	Voltage of output	Marketing purpose			
4	GP-CVM300P	X1X2	X <sub>3</sub> X <sub>4</sub> X <sub>5</sub>			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,可時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms - edocument.htm</u>. Attention of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.31, No.33, No.35, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五摧路 31 號, 33 號, 35 號 No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司\_


t (886-2) 2299-3279 f (886-2) 2299-9558



 Report No.:
 HC90233/2017

 Page:
 7
 of
 7

Test Photos:



- — The End of Test Report —

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms - edocument.htm</u>. Attention of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document approval of the Company. Any unauthorized alteration, forgery or falsification of the alternated to the fullest extent of the law.

No.31, No.33, No.35, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五權路 31 號, 33 號, 35 號 No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司\_

t (886-2) 2299-3279 f (886-2) 2299-9558